

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 17.12.2013

Version 4.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®

Au-1

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company WTW * 82362 Weilheim * Germany * Tel. ++49(0)881 183-0
Responsible Department e-mail: Info.WTW@Xyleminc.com

1.4 Emergency telephone number +49 (0)6151/722440 * Telefax: +49 (0)6151/727780

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xn	Harmful	R22
Xi	Irritant	R41

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-1

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: hydrogen peroxide

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature	Aqueous solution
-----------------	------------------

3.1 Substance

not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

hydrogen peroxide ($\geq 10\%$ - $< 20\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7722-84-1	01-2119485845-22-
-----------	-------------------

XXXX

Oxidising liquid, Category 1, H271

Acute toxicity, Category 4, H302

Acute toxicity, Category 4, H332

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No.	Classification
---------	----------------

hydrogen peroxide ($\geq 10\%$ - $< 20\%$)

7722-84-1	R5
-----------	----

O, Oxidising; R8

Xn, Harmful; R20/22

C, Corrosive; R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-1

After swallowing: immediately make victim drink water (two glasses at most). Subsequently administer: activated charcoal (20 - 40 g in 10% slurry).

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, conjunctivitis, Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Has a fire-promoting effect due to release of oxygen.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-1

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed in a well-ventilated place, away from sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Components

Basis	Value	Threshold limits	Remarks
<i>hydrogen peroxide (7722-84-1)</i>			
EH40 WEL	Short Term Exposure Limit (STEL):	2 ppm 2.8 mg/m ³	
	Time Weighted Average (TWA):	1 ppm 1.4 mg/m ³	

Derived No Effect Level (DNEL)

hydrogen peroxide (7722-84-1)

Worker DNEL, acute	Local effects	inhalation	3 mg/m ³
Worker DNEL, longterm	Local effects	inhalation	1.4 mg/m ³
Consumer DNEL, acute	Local effects	inhalation	1.93 mg/m ³
Consumer DNEL, longterm	Local effects	inhalation	0.21 mg/m ³

Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

Predicted No Effect Concentration (PNEC)

hydrogen peroxide (7722-84-1)

PNEC Fresh water	0.0126 mg/l
PNEC Marine water	0.0126 mg/l
PNEC Aquatic intermittent release	0.0138 mg/l
PNEC Sewage treatment plant	4.66 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-1

PNEC Fresh water sediment	0.47 mg/kg
PNEC Marine sediment	0.47 mg/kg
PNEC Soil	0.0023 mg/kg

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: natural latex
Glove thickness: 0.6 mm
Break through time: > 480 min

splash contact:

Glove material: natural latex
Glove thickness: 0.6 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 706 Lapren® (full contact), KCL 706 Lapren® (splash contact).

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Empfohlener Filtertyp: filter NO

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-1

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	not applicable
pH	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	ca. 1.05 g/cm ³ at 20 °C
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	Oxidising potential

9.2 Other data

none

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-1

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

Sensitivity to light

To avoid thermal decomposition, do not overheat.

10.3 Possibility of hazardous reactions

Risk of explosion with:

Risk of ignition or formation of inflammable gases or vapours with:

hydrazine and derivatives, hydrides, combustible substances, Ether, anhydrides, Oxidizing agents, Organic Substances, peroxi compounds, Impurities, permanganates, organic solvent, organic nitro compounds, brass, Alkali metals, alkali salts, alkali hydroxides, Alkaline earth metals, Metals, metallic oxides, metallic salts, nonmetals, nonmetallic oxides, Aldehydes, Alcohols, Amines, Ammonia, acids

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

Acute toxicity estimate: > 2,000 mg/kg

Calculation method

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Acute toxicity estimate: > 20 mg/l; vapour

Calculation method

Symptoms: Possible damages: mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

slight irritation

Eye irritation

conjunctivitis

Mixture causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-1

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

hydrogen peroxide

Acute oral toxicity

Acute toxicity estimate: 500.1 mg/kg

Expert judgement

Acute inhalation toxicity

Acute toxicity estimate: 11.1 mg/l; vapour

Expert judgement

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

Biodegradability

Readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

Components

hydrogen peroxide

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 16.4 mg/l; 96 h (IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 2.3 mg/l; 48 h (ECOTOX Database)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-1

NOEC Daphnia magna (Water flea): 0.63 mg/l; 21 d (External MSDS)

Toxicity to algae

IC50 Pseudokirchneriella subcapitata (green algae): 5.7 mg/l; 72 h (ECOTOX Database)

Growth rate NOEC Skeletonema costatum: 0.63 mg/l; 72 h (External MSDS)

Toxicity to bacteria

static test EC50 activated sludge: 466 mg/l; 30 min
OECD Test Guideline 209

static test EC50 activated sludge: > 1,000 mg/l; 3 h
OECD Test Guideline 209

Biodegradability

Readily biodegradable.

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-1

14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
EmS	F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard Legislation	96/82/EC Directive 96/82/EC does not apply
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	not regulated
---	---------------

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals	not regulated
---	---------------

Substances of very high concern (SVHC)	This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).
--	---

National legislation

Storage class	5.1 B
---------------	-------

The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-1

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H271	May cause fire or explosion; strong oxidiser.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.


Full text of R-phrases referred to under sections 2 and 3

R 5	Heating may cause an explosion.
R 8	Contact with combustible material may cause fire.
R20/22	Harmful by inhalation and if swallowed.
R22	Harmful if swallowed.
R35	Causes severe burns.
R41	Risk of serious damage to eyes.

Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)	 Xn	Harmful
R-phrases(s)	22-41	Harmful if swallowed. Risk of serious damage to eyes.
S-phrases(s)	26-39	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear eye/face protection.

Contains: hydrogen peroxide

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 17.12.2013

Version 4.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®

Au-2

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company WTW * 82362 Weilheim * Germany * Tel. ++49(0)881 183-0
Responsible Department e-mail: Info.WTW@Xyleminc.com

1.4 Emergency telephone number +49 (0)6151/722440 * Telefax: +49 (0)6151/727780

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

C Corrosive R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-2

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Contains: sulphuric acid

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

3.1 Substance

not applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical Name (Concentration)

CAS-No. Registration number Classification

sulphuric acid ($\geq 25\%$ - $< 50\%$)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7664-93-9 01-2119458838-20- Corrosive to metals, Category 1, H290

XXXX Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-2

Hazardous components (1999/45/EC)

Chemical Name (Concentration)

CAS-No.	Classification
sulphuric acid ($\geq 25\%$ - $< 50\%$)	
7664-93-9	C, Corrosive; R35

For the full text of the R-phrases mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Immediately remove contaminated clothing. If available swab with polyethylene glycol 400. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Nausea, Vomiting, Diarrhoea, pain, Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system. Suppress (knock down) gases/vapours/mists with a water spray jet.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-2

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing and immerse in water. Preventive skin protection Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Storage conditions

Tightly closed in a well-ventilated place, away from sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL)

sulphuric acid (7664-93-9)

Worker DNEL, acute

Local effects

inhalation

0.1 mg/m³

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-2

Worker DNEL, longterm Local effects inhalation 0.05 mg/m³

Predicted No Effect Concentration (PNEC)

sulphuric acid (7664-93-9)

PNEC Fresh water	0.0025 mg/l
PNEC Fresh water sediment	0.002 mg/kg
PNEC Marine water	0.00025 mg/l
PNEC Marine sediment	0.002 mg/kg
PNEC Sewage treatment plant	8.8 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Viton (R)
Glove thickness: 0.7 mm
Break through time: > 480 min

splash contact:

Glove material: butyl-rubber
Glove thickness: 0.7 mm
Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (full contact), KCL 898 Butoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Empfohlener Filtertyp: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-2

substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	not applicable
pH	at 20 °C strongly acid
Melting point	-68 °C
Boiling point/boiling range	ca. 119 °C at 1,013 hPa
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	1.30 g/cm ³ at 20 °C
Water solubility	at 20 °C soluble, (caution ! development of heat)
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	ca.338 °C

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-2

Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	Oxidising potential

9.2 Other data

Corrosion	May be corrosive to metals.
-----------	-----------------------------

SECTION 10. Stability and reactivity

10.1 Reactivity

strong oxidising agent

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Violent reactions possible with:

Water, Alkali metals, alkali compounds, Ammonia, Aldehydes, acetonitrile, Alkaline earth metals, alkalines, Acids, alkaline earth compounds, Metals, metal alloys, Oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, Nitriles, organic nitro compounds, anilines, Peroxides, picrates, nitrides, lithium silicide, iron(III) compounds, bromates, chlorates, Amines, perchlorates, hydrogen peroxide

10.4 Conditions to avoid

Strong heating (decomposition).

10.5 Incompatible materials

animal/vegetable tissues, Metals
Contact with metals liberates hydrogen gas.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes severe burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-2

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After inhalation of aerosols: damage to the affected mucous membranes. After skin contact: severe burns with formation of scabs. After eye contact: burns, corneal lesions. After swallowing: severe pain (risk of perforation!), nausea, vomiting and diarrhoea. After a latency period of several weeks possibly pyloric stenosis.

Handle in accordance with good industrial hygiene and safety practice.

Components

sulphuric acid

Acute inhalation toxicity

LC50 rat: 0.25 mg/l; 4 h (IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

(HSDB)

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-2

Additional ecological information

Forms corrosive mixtures with water even if diluted. Harmful effect due to pH shift. Endangers drinking-water supplies if allowed to enter soil or water.

Discharge into the environment must be avoided.

Components

sulphuric acid

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 29 mg/l; 24 h (IUCLID)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-2

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
EmS	F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	96/82/EC
Legislation	Directive 96/82/EC does not apply
Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	not regulated
---	---------------

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals	not regulated
---	---------------

Substances of very high concern (SVHC)	This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).
--	---

National legislation

Storage class	5.1 B
---------------	-------

The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-2

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.


Full text of R-phrases referred to under sections 2 and 3

R35	Causes severe burns.
-----	----------------------


Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)	 C	Corrosive
R-phrases(s)	35	Causes severe burns.
S-phrases(s)	26-30-45	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Never add water to this product. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Reduced labelling (≤125 ml)

Symbol(s)	 C	Corrosive
R-phrases(s)	35	Causes severe burns.
S-phrases(s)	26-45	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Contains: sulphuric acid

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 17.12.2013

Version 4.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®

Au-3

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company WTW * 82362 Weilheim * Germany * Tel. ++49(0)881 183-0
Responsible Department e-mail: Info.WTW@Xyleminc.com

1.4 Emergency telephone number +49 (0)6151/722440 * Telefax: +49 (0)6151/727780

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution of inorganic compounds.

3.1 Substance

not applicable

3.2 Mixture

For the full text of the H-Statements mentioned in this Section, see Section 16.

Remarks No disclosure requirement according to Regulation (EC) No. 1907/2006.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-3

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:
hydrogen bromide

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-3

Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed in a well-ventilated place, away from sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

not required

Respiratory protection

required when vapours/aerosols are generated.

Environmental exposure controls

Do not empty into drains.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-3

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	odourless
Odour Threshold	not applicable
pH	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	No information available.
Relative vapour density	No information available.
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

none

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Alkali metals, halogen-halogen compounds, Strong acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

Symptoms: Possible damages:, slight mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-3

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further data:

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-3

Not relevant

Air transport (IATA)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
EmS	F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard	96/82/EC
Legislation	Directive 96/82/EC does not apply

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	not regulated
---	---------------

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals	not regulated
---	---------------

Substances of very high concern (SVHC)	This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).
--	---

National legislation

Storage class	5.1 B
---------------	-------

The data applies to the entire pack.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-3

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Full text of R-phrases referred to under sections 2 and 3

Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

The product does not need to be labelled in accordance with EC directives or respective national laws.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 17.12.2013

Version 4.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-4
REACH Registration Number 01-2119548382-38-XXXX

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company WTW * 82362 Weilheim * Germany * Tel. ++49(0)881 183-0
Responsible Department e-mail: Info.WTW@Xyleminc.com

1.4 Emergency telephone number +49 (0)6151/722440 * Telefax: +49 (0)6151/727780

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquid, Category 2, H225

Specific target organ toxicity - single exposure, Category 3, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

F Highly flammable R11
R19
R66
R67

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word
Danger

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-4

Hazard statements

H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.
EUH019 May form explosive peroxides.
EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Prevention
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
Storage
P403 + P235 Store in a well-ventilated place. Keep cool.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Danger

Contains: Diisopropyl ether
Index-No. 603-045-00-X

2.3 Other hazards

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	$[(CH_3)_2CH]_2O$	$C_6H_{14}O$ (Hill)
CAS-No.	108-20-3	
Index-No.	603-045-00-X	
EC-No.	203-560-6	
Molar mass	102.18 g/mol	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Remarks	No disclosure requirement according to Regulation (EC) No. 1907/2006.
---------	---

3.2 Mixture

not applicable

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-4

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Consult doctor if feeling unwell.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water.

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Shortness of breath, Drowsiness, narcosis, agitation, spasms, Nausea, Vomiting, Headache, drowsiness, death

Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Remove container from danger zone and cool with water.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-4

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent material (e.g. Chemisorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed in a well-ventilated place, away from sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-4

Components with workplace control parameters

Components

Basis	Value	Threshold limits	Remarks
<i>Diisopropyl ether (108-20-3)</i>			
EH40 WEL	Time Weighted Average (TWA):	250 ppm 1,060 mg/m³	
	Short Term Exposure Limit (STEL):	310 ppm 1,310 mg/m³	

Derived No Effect Level (DNEL)

Worker DNEL, longterm	Systemic effects	dermal	121.4 mg/kg Body weight
Worker DNEL, longterm	Systemic effects	inhalation	850 mg/m³
Consumer DNEL, longterm	Systemic effects	dermal	43.1 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	inhalation	151 mg/m³
Consumer DNEL, longterm	Systemic effects	oral	43.1 mg/kg Body weight

Recommended monitoring procedures

Methods for measurement of the workplace atmosphere have to correspond to the requirements of norms DIN EN 482 and DIN EN 689.

Predicted No Effect Concentration (PNEC)

PNEC Fresh water	0.19 mg/l
PNEC Marine water	0.019 mg/l
PNEC Fresh water sediment	2.79 mg/kg
PNEC Marine sediment	0.28 mg/kg
PNEC Soil	0.47 mg/kg
PNEC Sewage treatment plant	37 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-4

splash contact:

Glove material:	butyl-rubber
Glove thickness:	0.7 mm
Break through time:	> 480 min

Glove material:	Nitrile rubber
Glove thickness:	0.40 mm
Break through time:	> 240 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 898 Butoject® (full contact), KCL 730 Camatril® -Velours (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Empfohlener Filtertyp: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	ether-like
Odour Threshold	0.02 - 296.6 ppm
pH	at 20 °C neutral
Melting point	-86 °C
Boiling point/boiling range	67 - 70 °C at 1,013 hPa
Flash point	-28 °C Method: c.c.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-4

Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	1.0 %(V)
Upper explosion limit	21 %(V)
Vapour pressure	175 hPa at 20 °C
Relative vapour density	3.5
Relative density	0.72 g/cm³ at 20 °C
Water solubility	12 g/l at 20 °C
Partition coefficient: n-octanol/water	log Pow: 1.52 (20 °C) (experimental) Bioaccumulation is not expected. (IUCLID)
Auto-ignition temperature	No information available.
Decomposition temperature	Distillable in an undecomposed state at normal pressure.
Viscosity, dynamic	0.3 mPa.s at 20 °C
Explosive properties	Not classified as explosive.
Oxidizing properties	none
Peroxides	May form explosive peroxides.

9.2 Other data

Ignition temperature	405 °C Method: DIN 51794
----------------------	-----------------------------

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixture with air.

10.2 Chemical stability

Sensitivity to light

Sensitive to air.

Stabilizer

butyl hydroxytoluene (BHT)

10.3 Possibility of hazardous reactions

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-4

Exothermic reaction with:
Risk of explosion with:
Aldehydes, Amines, mineral acids, Oxidizing agents, Zinc

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

various plastics

10.6 Hazardous decomposition products

Peroxides

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 rat: 5,880 mg/kg (RTECS)

Symptoms: Nausea, Vomiting, Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis., Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath

Acute dermal toxicity

LD50 rabbit: > 20,000 mg/kg (IUCLID)

Skin irritation

slight irritation

Repeated exposure may cause skin dryness or cracking.

Eye irritation

rabbit

Result: No eye irritation

OECD Test Guideline 405

slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

rat

Method: OECD Test Guideline 453

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-4

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After absorption of large quantities:

Headache, narcosis, agitation, spasms, death

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 92 mg/l; 96 h (Lit.)

LC50 Pimephales promelas (fathead minnow): 92 mg/l; 96 h (Lit.)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): > 220 mg/l; 48 h

Analytical monitoring: no

OECD Test Guideline 202

EC50 Daphnia magna (Water flea): 190 mg/l; 48 h

OECD Test Guideline 202

EC50 Daphnia magna (Water flea): > 220 mg/l; 48 h

Analytical monitoring: no

OECD Test Guideline 202

EC50 Daphnia magna (Water flea): 190 mg/l; 48 h

OECD Test Guideline 202

Toxicity to algae

NOEC Pseudokirchneriella subcapitata (green algae): > 1,000 mg/l; 96 h

OECD Test Guideline 201

NOEC Pseudokirchneriella subcapitata (green algae): > 1,000 mg/l; 96 h

OECD Test Guideline 201

IC50 Pseudokirchneriella subcapitata (green algae): > 100 mg/l; 96 h (External MSDS)

IC50 Pseudokirchneriella subcapitata (green algae): > 100 mg/l; 96 h (External MSDS)

Toxicity to bacteria

EC50 Photobacterium phosphoreum: 500 mg/l; 5 min (Lit.)

EC50 Photobacterium phosphoreum: 500 mg/l; 5 min (Lit.)

12.2 Persistence and degradability

Biodegradability

7 %; 5 d

(IUCLID)

Not readily biodegradable.

7 %; 5 d

(IUCLID)

Not readily biodegradable.

Theoretical oxygen demand (ThOD)

2,833 mg/g

(Lit.)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-4

2,833 mg/g
(Lit.)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 1.52 (20 °C)

(experimental)

Bioaccumulation is not expected. (IUCLID)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

12.6 Other adverse effects

Henry constant

259.3 Pa·m³/mol

Distribution preferentially in air. (Lit.)

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-4

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user no

Sea transport (IMDG)

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Highly flammable
7b
Quantity 1: 5,000 t
Quantity 2: 50,000 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Regulation (EC) No 689/2008 concerning the export and import of dangerous chemicals not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern above the respective regulatory limit (> 0.1 % (w/w) Regulation (EC) No 1907/2006 (REACH), Article 57).

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-4

National legislation

Storage class 5.1 B

The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H336	May cause drowsiness or dizziness.

Full text of R-phrases referred to under sections 2 and 3

R11	Highly flammable.
R19	May form explosive peroxides.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Training advice

Provide adequate information, instruction and training for operators.

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s)  F Highly flammable

R-phrases 11-19-66-67 Highly flammable. May form explosive peroxides. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness.

S-phrases 9-16-29-33 Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking. Do not empty into drains. Take precautionary measures against static discharges.

EC-No. 203-560-6 EC Label

Reduced labelling (≤125 ml)

Symbol(s)  F Highly flammable

Contains: Diisopropyl ether

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 17.12.2013

Version 4.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®

Au-5

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis
For additional information on uses please refer to the Merck Chemicals portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company WTW * 82362 Weilheim * Germany * Tel. ++49(0)881 183-0
Responsible Department e-mail: Info.WTW@Xyleminc.com

1.4 Emergency telephone number +49 (0)6151/722440 * Telefax: +49 (0)6151/727780

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

This mixture is not classified as dangerous according to European Union legislation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Chemical nature Dye solution in organic solvent.

3.1 Substance

not applicable

3.2 Mixture

For the full text of the H-Statements mentioned in this Section, see Section 16.

Remarks No disclosure requirement according to Regulation (EC) No. 1907/2006.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-5

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

After eye contact: rinse out with plenty of water.

After swallowing: immediately make victim drink water (two glasses at most). Subsequently administer: activated charcoal (20 - 40 g in 10% slurry).

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Nausea, Headache, Tiredness, CNS disorders

4.3 Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 l water). Get medical attention.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO₂), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:

Sulphur oxides

Forms explosive mixtures with air on intense heating.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-5

Observe possible material restrictions (see sections 7 and 10).
Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed in a well-ventilated place, away from sources of ignition and heat.

Store at +15°C to +25°C.

The data applies to the entire pack.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	polychloroprene
Glove thickness:	0.65 mm
Break through time:	> 480 min

splash contact:

Glove material:	natural latex
Glove thickness:	0.6 mm
Break through time:	> 240 min

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-5

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 720 Camapren® (full contact), KCL 706 Lapren® (splash contact).

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when vapours/aerosols are generated.

Empfohlener Filtertyp: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	red
Odour	characteristic odour
Odour Threshold	No information available.
pH	No information available.
Melting point	No information available.
Boiling point	No information available.
Flash point	87 °C Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	1.8 %(V) (Dimethylsulfoxide)
Upper explosion limit	No information available.
Vapour pressure	0.6 hPa at 20 °C (Dimethylsulfoxide)
Relative vapour density	No information available.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-5

Relative density	ca. 1.1 g/cm ³ at 20 °C
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	No information available.
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

Ignition temperature	300 - 302 °C (Dimethylsulfoxide)
----------------------	-------------------------------------

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with:

Risk of explosion with:

acid halides, Sulphur trioxide, Sulphur oxides, Strong oxidizing agents, Oxides of phosphorus, nonmetallic halides, Nitric acid, silver salt, silicon compounds, nitrogen dioxide, potassium permanganate, Ketones, Halogenated hydrocarbon, oxyhalogenic compounds, Alkali metals, Potassium, sodium, iron(III) compounds, hydrides, nitrates, halogen-halogen compounds, perchloric acid, perchlorates, chlorates, nonmetallic oxyhalides

10.4 Conditions to avoid

Strong heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.5 Incompatible materials

various plastics, Metals

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-5

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Mixture

Acute oral toxicity

This information is not available.

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

slight irritation

Eye irritation

slight irritation

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Quantitative data on the toxicity of this product are not available.

Further toxicological data:

After absorption: Possible symptoms:

CNS disorders, Nausea, Tiredness, Headache

Further data:

Liver and kidney injuries may occur.

Other information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-5

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	yes
Tunnel restriction code	E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 3316
14.2 Proper shipping name	CHEMICAL KIT
14.3 Class	9
14.4 Packing group	II
14.5 Environmentally hazardous	--
14.6 Special precautions for user	no

Sea transport (IMDG)

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No. 114821
Product name Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant®
Au-5

14.1 UN number UN 3316
14.2 Proper shipping name CHEMICAL KIT
14.3 Class 9
14.4 Packing group II
14.5 Environmentally hazardous --
14.6 Special precautions for user yes
EmS F-A S-P

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

THIS TRANSPORT DATA APPLIES TO THE ENTIRE PACK!

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC
Legislation Directive 96/82/EC does not apply

Regulation (EC) No 1005/2009 on substances that not regulated
deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated
Parliament and of the Council of 29 April 2004 on
persistent organic pollutants and amending
Directive 79/117/EEC

Regulation (EC) No 689/2008 concerning the export not regulated
and import of dangerous chemicals

Substances of very high concern (SVHC) This product does not contain substances
of very high concern above the respective
regulatory limit (> 0.1 % (w/w) Regulation
(EC) No 1907/2006 (REACH), Article 57).

National legislation

Storage class 5.1 B

The data applies to the entire pack.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

Full text of R-phrases referred to under sections 2 and 3

Training advice

Provide adequate information, instruction and training for operators.

SAFETY DATA SHEET
according to Regulation (EC) No. 1907/2006

Catalogue No.	114821
Product name	Gold Test Method: photometric 0.5 - 12.0 mg/l Au Spectroquant® Au-5

Labelling (67/548/EEC or 1999/45/EC)

The product does not need to be labelled in accordance with EC directives or respective national laws.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.